

Microsurgery Complications in Plastic And Reconstructive Surgery, A Review

Juan Carlos García Zamora¹, Carlos Enrique Luna Guerrero²

¹Private Practice, General and Bariatric Surgery, Guadalajara, Jalisco, Mexico

²Private Practice, Plastic and Reconstructive Surgery, Mazatlan, Sinaloa, Mexico

ABSTRACT

Microsurgery has revolutionized the field of plastic and reconstructive surgery by enabling precise manipulation of small vessels and nerves, allowing for complex reconstructions that restore both form and function. Its principal applications include free tissue transfer, nerve repair, replantation, and lymphatic surgery. Recent developments such as perforator and supermicrosurgical flaps have minimized donor-site morbidity and expanded reconstructive possibilities, particularly in oncologic and post-traumatic settings. Technological advancements—including robotic-assisted microsurgery and advanced imaging modalities like near-infrared fluorescence and MR lymphography—have enhanced surgical accuracy and intraoperative decision-making. Despite these advances, microsurgery remains technically demanding, with complications such as vascular thrombosis, flap failure, and systemic medical events requiring vigilant perioperative management. Continuous innovation, careful patient selection, and adherence to microsurgical principles are essential to achieve optimal outcomes and further refine the field's safety and effectiveness.

KEYWORDS: microsurgery, free tissue transfer, supermicrosurgery, perforator flap, robotic-assisted microsurgery, lymphatic surgery, flap complications, reconstructive surgery

ARTICLE DETAILS

Published On:
24 October 2025

Available on:
<https://ijmscrs.com/>

INTRODUCTION

Microsurgery in plastic and reconstructive surgery encompasses the use of specialized instruments and magnification to perform precise operations on small anatomical structures, particularly blood vessels and nerves. Its principal applications include free tissue transfer (free flaps), nerve repair, replantation of amputated parts, and lymphatic surgery.[1-5] Free tissue transfer has become a cornerstone of modern reconstructive surgery, enabling the restoration of complex defects in the head and neck, extremities, breast, and craniofacial regions by transplanting vascularized tissue from distant sites and reestablishing circulation via microvascular anastomoses.[5-7] Recent advances have focused on perforator flaps, which minimize donor site morbidity by preserving underlying muscle and function, and on the development of “freestyle” flaps that allow for patient-specific, customized reconstruction based on detailed anatomical knowledge.[2][4] Supermicrosurgery, defined as the

manipulation of vessels and nerves with diameters as small as 0.3–0.8 mm, has expanded the scope of lymphatic surgery and enabled minimally invasive, functionally superior reconstructions, particularly in the management of cancer-related lymphedema.[1][3][8]

Technological innovations have further enhanced microsurgical outcomes. Robotic-assisted microsurgery, using platforms such as the da Vinci and MUSA systems, has improved precision and reduced operative times, while advanced imaging modalities—including MR lymphography and near-infrared fluorescence—have optimized preoperative planning and intraoperative decision-making.[1] Composite tissue allotransplantation, such as face and limb transplantation, represents a frontier in reconstructive microsurgery, combining technical expertise with immunological management to restore both form and function in patients with devastating injuries.[3][6-7]

Microsurgical success depends on meticulous technique, appropriate patient selection, and rigorous perioperative

management, including flap monitoring and thrombolytic therapy when indicated.[5] The continuous evolution of microsurgical methods, including the integration of artificial intelligence and robotics, promises further improvements in precision, efficiency, and patient outcomes.[1-2]

Complications

Microsurgical techniques, as applied in plastic and reconstructive surgery, neurosurgery, and other subspecialties, are associated with a spectrum of potential complications. The most common and clinically significant complications include:

1. **Vascular Complications:** Thrombosis of the arterial or venous anastomosis is a leading cause of flap failure in microvascular free tissue transfer, with local thrombosis resulting in vascular compromise and systemic events such as deep venous thrombosis (DVT) or pulmonary embolism (PE) also reported. Venous thromboembolism is a serious, potentially life-threatening complication, and its risk may be increased by intraoperative hypothermia, prolonged operative time, and patient comorbidities.[1-2]
2. **Flap-Related Complications:** Flap failure, hematoma formation, wound dehiscence, infection, and fistula are well-documented. Hematoma and flap failure tend to occur early postoperatively, while donor site infection and wound dehiscence may present later during hospitalization.[3]
3. **Catastrophic Medical Outcomes:** Large database analyses have identified rare but severe complications such as stroke, cardiac arrest, and prolonged respiratory failure. These events are more likely in patients with advanced age, higher ASA class, significant comorbidities (e.g., diabetes, hypertension, COPD), and in cases with longer operative times or non-clean wounds. Head and neck reconstructions carry a higher risk of catastrophic outcomes compared to other anatomical sites.[2]
4. **Neurological Complications:** In neurosurgical microsurgery, particularly for intracranial aneurysm clipping, complications include symptomatic cerebral ischemia, rebleeding, surgical site hematoma, and incomplete aneurysm exclusion. Severe complications (death or significant disability) are infrequent but can occur, especially in cases with ruptured aneurysms or complex vascular anatomy.[4-5]
5. **General Surgical Complications:** Microsurgical principles are designed to minimize tissue trauma, but nonadherence can result in adhesions, iatrogenic injury to adjacent structures, and compromised functional outcomes. In minimally invasive reproductive surgery, improper technique may lead to port site metastasis, parasitic myomas, and peritonitis.[6]
6. **Procedure-Specific Complications:** In microendoscopic spine surgery, dural tears and reherniation are notable risks, with some studies suggesting higher rates compared to open procedures, though overall serious adverse events remain low.[7]
7. **Ophthalmic Microsurgery:** In cataract surgery, complications include wound leak, hypotony, endophthalmitis, thermal injury, Descemet membrane tears, corneal edema, uveitis, and persistent elevated intraocular

pressure. Most are infrequent and often transient, but major complications such as retinal detachment or endophthalmitis can have significant consequences.[8]

Risk stratification and meticulous adherence to microsurgical principles are essential to minimize these complications. Patient selection, optimization of comorbidities, intraoperative monitoring (including temperature), and postoperative surveillance are critical components of complication prevention and management.[1-5]

CONCLUSION

Microsurgery stands as one of the most transformative advances in modern reconstructive surgery, providing unparalleled precision in restoring complex anatomical structures and functions. Through free tissue transfer, nerve repair, lymphatic surgery, and replantation, microsurgical techniques have expanded the boundaries of what can be reconstructed, enabling functional and aesthetic recovery even in the most challenging defects. Ongoing innovations—such as supermicrosurgery, robotic-assisted platforms, and advanced imaging—continue to refine surgical accuracy, reduce morbidity, and personalize reconstruction to individual patient needs. However, despite its sophistication, microsurgery remains technically demanding and carries inherent risks, including vascular thrombosis, flap failure, and systemic complications. Optimal outcomes depend on meticulous technique, comprehensive perioperative care, and interdisciplinary collaboration. As technology evolves, the integration of robotics, artificial intelligence, and microsurgical simulation promises to further enhance safety, precision, and long-term reconstructive success, solidifying microsurgery's role as the gold standard in complex reconstructive procedures.

REFERENCES

- I. Thamm OC, Eschborn J, Schäfer RC, Schmidt J. Advances in Modern Microsurgery. *Journal of Clinical Medicine*. 2024;13(17):5284. doi:10.3390/jcm13175284
- II. Mohan AT, Saint-Cyr M. Recent Advances in Microsurgery: An Update in the Past 4 Years. *Clinics in Plastic Surgery*. 2020;47(4):663-677. doi:10.1016/j.cps.2020.07.002
- III. Park JE, Chang DW. Advances and Innovations in Microsurgery. *Plastic and Reconstructive Surgery*. 2016;138(5):915e-924e. doi:10.1097/PRS.0000000000002715
- IV. Brown E, Suh HP, Han HH, Pak CJ, Hong JP. Best New Flaps and Tips for Success in Microsurgery. *Plastic and Reconstructive Surgery*. 2020;146(6):796e-807e. doi:10.1097/PRS.0000000000007331
- V. Evans BC, Evans GR. Microvascular Surgery. *Plastic and Reconstructive Surgery*.

Microsurgery Complications in Plastic And Reconstructive Surgery, A Review

- 2007;119(2):18e-30e.
doi:10.1097/01.prs.0000246717.81077.e4
- VI. Broyles JM, Abt NB, Shridharani SM, et al. The Fusion of Craniofacial Reconstruction and Microsurgery: A Functional and Aesthetic Approach. *Plastic and Reconstructive Surgery*. 2014;134(4):760-769.
doi:10.1097/PRS.0000000000000564
- VII. Engel H, Lin CH, Wei FC. Role of Microsurgery in Lower Extremity Reconstruction. *Plastic and Reconstructive Surgery*. 2011;127(Suppl 1):228S-238S. doi:10.1097/PRS.0b013e3182008e12
- VIII. Yamamoto T. Onco-Reconstructive Supermicrosurgery. *European Journal of Surgical Oncology*. 2019;45(7):1146-1151.
doi:10.1016/j.ejso.2019.01.008